

- **MyCNC Quick Start**
 - **FAQ**
 - Installing Ubuntu MATE with preinstalled myCNC software
 - myCNC Control Board Setup
 - Network Setup
 - Axes and Pulses per Unit setup
 - Homing Procedure setup
 - Start/Stop Setup
 - Importing DXF files
 - Probe tool setup
 - CNC Vision Setup
 - Plasma Setup (X1366P)
 - Tangential Knife Setup (X1366V)
 - Oxy-fuel Setup (X1366G)
- **Troubleshooting**
- **MyCNC Hardware**
 - MyCNC-ET6 Controller
 - MyCNC-ET7 Controller
 - MyCNC-ET10 Controller
 - MyCNC-ET15 Controller
 - Wireless Pendants
 - Modbus Devices
 - Rotary encoder setup
 - Linear encoder setup
 - Touchscreen setup and calibration
- **MyCNC Software**
 - Main Software Features
 - Main Advantages of myCNC software
 - Screen Description
 - Screen Editing and Configuration
 - Software Setup
 - MyCNC Configuration Dialogs
 - MyCNC Profiles
 - MyCNC Setup Examples
 - Closed loop configuration
 - Constant Velocity Mode (CV)
 - Servo ON/OFF
 - G-Codes Implemented List
 - Global Variables Array
 - Extern Variables Array
 - Macro language
 - Cutcharts
 - Triggers
 - Timers
 - RTCP setup
 - Modbus Setup
 - Host Modbus API
 - PLC/Modbus API
 - Server API

- [MyCNC Software Installation](#)
 - [MyCNC Software Installation on Windows](#)
- [Update MyCNC Software](#)
- [MyCNC Pulse Width Setup](#)
- [Flatbed Correction](#)
- [3D Height Mapping](#)
- [Stop/End program commands](#)
- [SBC - Single Board Computer](#)
 - [Installing Linux with myCNC software on a TinkerBoard](#)
- [PLC](#)
 - [PLC Builder](#)
 - [Hardware PLC Examples](#)
 - [Running Motion commands from PLC](#)
 - [Getting a Height Map](#)
 - [M07 Mist Coolant ON](#)
 - [M03 Simple Spindle ON procedure](#)
 - [Gas Cutting Control implementation](#)
 - [API to work with Modbus devices from PLC](#)
 - [THC API](#)
 - [Show Custom Message Box from PLC](#)
 - [M88 M89 Stop Motion from PLC if Input pin activated](#)
 - [Software PLC Examples](#)
 - [Charge Pump](#)
 - [How to add mandatory Homing after Emergency Button and-or Servo ready alarm](#)
 - [Button to toggle select output pin with indication](#)
 - [Oil Change counter](#)
 - [Controller Peripherals Test - BV17](#)
 - [FERROR implementation](#)
 - [Show custom message popup](#)
 - [Load PLC from template](#)
- [THC](#)
- [IHC](#)
- [Independent Pulse Generator](#)
- [MyCNC Plasma Configuration Example](#)
- [Setup of two myCNC instances on one machine](#)
- [Video Tutorial](#)

[MyCNC Shop](#)

[MyCNC website](#)

[myCNC Price List](#)

- [Other](#)
 - [How to connect NPN Sensor to TTL input of control board with optocouple](#)
 - [SMD Resistor codes](#)
 - [Working with AJAN CAM software](#)
 - [Setting up Samba for Windows/Linux machines](#)
 - [Language Localization](#)
 - [Line driver to 5V converters](#)

From:
<http://cnc42.com/> - **myCNC Online Documentation**

Permanent link:
<http://cnc42.com/sidebar?rev=1581002292>

Last update: **2020/02/06 10:18**

