

- **MyCNC Quick Start**
  - **FAQ**
  - Installing Ubuntu MATE with preinstalled myCNC software
  - myCNC Control Board Setup
  - Network Setup
  - Axes and Pulses per Unit setup
  - Homing Procedure setup
  - Start/Stop Setup
  - Importing DXF files
  - Probe tool setup
  - CNC Vision Setup
  - Plasma Setup (X1366P)
  - Tangential Knife Setup (X1366V)
  - Oxy-fuel Setup (X1366G)
- **Troubleshooting**
- **MyCNC Hardware**
  - MyCNC-ET6 Controller
  - MyCNC-ET7 Controller
  - MyCNC-ET10 Controller
  - MyCNC-ET15 Controller
  - Wireless Pendants
  - Modbus Devices
  - Rotary encoder setup
  - Linear encoder setup
  - Touchscreen setup and calibration
  - MQL - Minimum Quantity Lubrication
- **MyCNC Software**
  - Main Software Features
  - Main Advantages of myCNC software
  - Screen Description
  - Screen Editing and Configuration
  - Software Setup
    - MyCNC Configuration Dialogs
  - MyCNC Profiles
  - MyCNC Setup Examples
  - Closed loop configuration
  - Constant Velocity Mode (CV)
  - Servo ON/OFF
  - G-Codes Implemented List
  - Global Variables Array
  - Extern Variables Array
  - Macro language
  - Cutcharts
  - Triggers
  - Timers
  - RTCP setup
  - Modbus Setup
    - Host Modbus API
    - PLC/Modbus API

- [Server API](#)
- [MyCNC Software Installation](#)
  - [MyCNC Software Installation on Windows](#)
- [Update MyCNC Software](#)
- [MyCNC Pulse Width Setup](#)
- [Flatbed Correction](#)
- [3D Height Mapping](#)
- [Stop/End program commands](#)
- [SBC - Single Board Computer](#)
  - [Installing Linux with myCNC software on a TinkerBoard](#)
- [PLC](#)
  - [PLC Builder](#)
  - [Hardware PLC Examples](#)
    - [Running Motion commands from PLC](#)
    - [Getting a Height Map](#)
    - [M07 Mist Coolant ON](#)
    - [M03 Simple Spindle ON procedure](#)
    - [Gas Cutting Control implementation](#)
    - [API to work with Modbus devices from PLC](#)
    - [THC API](#)
    - [Show Custom Message Box from PLC](#)
    - [M88 M89 Stop Motion from PLC if Input pin activated](#)
  - [Software PLC Examples](#)
    - [Charge Pump](#)
    - [How to add mandatory Homing after Emergency Button and-or Servo ready alarm](#)
    - [Button to toggle select output pin with indication](#)
    - [Oil Change counter](#)
    - [Controller Peripherals Test - BV17](#)
    - [FERROR implementation](#)
    - [Show custom message popup](#)
  - [Load PLC from template](#)
- [THC](#)
- [IHC](#)
- [Independent Pulse Generator](#)
- [MyCNC Plasma Configuration Example](#)
- [Setup of two myCNC instances on one machine](#)
- [Video Tutorial](#)

[MyCNC Shop](#)

**[MyCNC website](#)**

[myCNC Price List](#)

- [Other](#)
  - [How to connect NPN Sensor to TTL input of control board with optocouple](#)
  - [SMD Resistor codes](#)
  - [Working with AJAN CAM software](#)
  - [Setting up Samba for Windows/Linux machines](#)
  - [Language Localization](#)

- [Line driver to 5V converters](#)

From:

<http://cnc42.com/> - **myCNC Online Documentation**

Permanent link:

<http://cnc42.com/sidebar?rev=1582224501>

Last update: **2020/02/20 13:48**

